



## Standardowe koła do pasów zębatych metrycznych typu: T, AT


### Podziałka T2,5 pod pasek szerokości 6 mm

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
16 T2,5/10	10	1	7,45	10	10	6	-	16	ALUMINIUM
16 T2,5/12	12	1	9,00	12	10	6,5	-	16	
16 T2,5/14	14	1	10,60	14	10	8,5	6	16	
16 T2,5/15	15	1	11,40	15	10	9	6	16	
16 T2,5/16	16	2	12,20	16	10	9	6	16	
16 T2,5/18	18	2	13,80	17	10	10	6	16	
16 T2,5/19	19	2	14,60	18	10	10	6	16	
16 T2,5/20	20	2	15,40	19	10	11	6	16	
16 T2,5/22	22	2	17,00	20	10	11	6	16	
16 T2,5/24	24	2	18,55	22	10	12	6	16	
16 T2,5/25	25	2	19,35	23	10	13	6	16	
16 T2,5/26	26	2	20,15	24	10	14	6	16	
16 T2,5/28	28	2	21,75	27	10	14	6	16	
16 T2,5/30	30	2	23,35	28	10	16	6	16	
16 T2,5/32	32	2	24,95	30	10	16	6	16	
16 T2,5/36	36	2	28,10	32	10	20	6	16	
16 T2,5/40	40	2	31,30	36	10	22	6	16	
16 T2,5/44	44	2	34,50	40	10	24	6	16	
16 T2,5/48	48	3	37,70	-	10	28	6	16	
16 T2,5/60	60	3	47,25	-	10	34	6	16	



### Podziałka T2,5 pod pasek szerokości 10 mm


Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
20 T2,5/10	10	1	7,45	10	14	6	-	16	ALUMINIUM
20 T2,5/12	12	1	9,00	12	14	6,5	-	16	
20 T2,5/14	14	1	10,60	14	14	8,5	6	16	
20 T2,5/15	15	1	11,40	15	14	9	6	16	
20 T2,5/16	16	2	12,20	16	14	9	6	16	
20 T2,5/18	18	2	13,80	17	14	10	6	16	
20 T2,5/19	19	2	14,60	18	14	10	6	16	
20 T2,5/20	20	2	15,40	19	14	11	6	16	
20 T2,5/22	22	2	17,00	20	14	11	6	16	
20 T2,5/24	24	2	18,55	22	14	12	6	16	
20 T2,5/25	25	2	19,35	23	14	13	6	16	
20 T2,5/26	26	2	20,15	24	14	14	6	16	
20 T2,5/28	28	2	21,75	27	14	14	6	16	
20 T2,5/30	30	2	23,35	28	14	16	6	16	
20 T2,5/32	32	2	24,95	30	14	16	6	16	
20 T2,5/36	36	2	28,10	32	14	20	6	16	
20 T2,5/40	40	2	31,30	36	14	22	6	16	
20 T2,5/44	44	2	34,50	40	14	24	6	16	
20 T2,5/48	48	3	37,70	-	14	28	6	16	
20 T2,5/60	60	3	47,25	-	14	34	6	16	



### Podziałka T5 pod pasek


**szerokości 10 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
21 T5/10	10	2	15,05	18	15	8	6	21	ALUMINIUM
21 T5/12	12	2	18,25	23	15	10	6	21	
21 T5/14	14	2	21,45	24	15	14	6	21	
21 T5/15	15	2	23,05	27	15	16	6	21	
21 T5/16	16	2	24,60	30	15	18	6	21	
21 T5/18	18	2	27,80	30	15	20	6	21	
21 T5/19	19	2	29,40	33	15	22	6	21	
21 T5/20	20	2	31,00	33	15	23	6	21	
21 T5/22	22	2	34,25	36	15	24	6	21	
21 T5/24	24	2	37,40	40	15	26	6	21	
21 T5/25	25	2	39,00	46	15	26	6	21	
21 T5/26	26	2	40,60	46	15	26	6	21	
21 T5/27	27	2	42,20	46	15	30	6	21	
21 T5/28	28	2	43,75	50	15	32	6	21	
21 T5/30	30	2	46,95	50	15	34	6	21	
21 T5/32	32	2	50,10	55	15	38	6	21	
21 T5/36	36	2	56,45	62	15	38	6	21	
21 T5/40	40	2	62,85	67	15	40	6	21	
21 T5/42	42	2	66,00	73	15	40	6	21	
21 T5/44	44	3	69,20	-	15	45	6	21	
21 T5/48	48	3	75,55	-	15	50	6	21	
21 T5/60	60	3	94,65	-	15	65	6	21	



**Podziałka T5 pod pasek szerokości 16 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
27 T5/10	10	2	15,05	18	21	8	6	27	ALUMINIUM
27 T5/12	12	2	18,25	23	21	10	6	27	
27 T5/14	14	2	21,45	24	21	14	6	27	
27 T5/15	15	2	23,05	27	21	16	6	27	
27 T5/16	16	2	24,60	30	21	18	6	27	
27 T5/18	18	2	27,80	30	21	20	6	27	
27 T5/19	19	2	29,40	33	21	22	6	27	
27 T5/20	20	2	31,00	33	21	23	6	27	
27 T5/22	22	2	34,25	36	21	24	6	27	
27 T5/24	24	2	37,40	40	21	26	6	27	
27 T5/25	25	2	39,00	46	21	26	6	27	
27 T5/26	26	2	40,60	46	21	26	6	27	
27 T5/27	27	2	42,20	46	21	30	6	27	
27 T5/28	28	2	43,75	50	21	32	6	27	
27 T5/30	30	2	46,95	50	21	34	6	27	
27 T5/32	32	2	50,10	55	21	38	6	27	
27 T5/36	36	2	56,45	62	21	38	6	27	
27 T5/40	40	2	62,85	67	21	40	6	27	
27 T5/42	42	2	66,00	73	21	40	6	27	
27 T5/44	44	3	69,20	-	21	45	6	27	
27 T5/48	48	3	75,55	-	21	50	6	27	
27 T5/60	60	3	94,65	-	21	65	6	27	




**Podziałka T5 pod pasek szerokości 25 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
36 T5/10	10	2	15,05	18	30	8	6	36	ALUMINIUM
36 T5/12	12	2	18,25	23	30	10	6	36	
36 T5/14	14	2	21,45	24	30	14	6	36	
36 T5/15	15	2	23,05	27	30	16	6	36	
36 T5/16	16	2	24,60	30	30	18	6	36	
36 T5/18	18	2	27,80	30	30	20	6	36	
36 T5/19	19	2	29,40	33	30	22	6	36	
36 T5/20	20	2	31,00	33	30	23	6	36	
36 T5/22	22	2	34,25	36	30	24	6	36	
36 T5/24	24	2	37,40	40	30	26	6	36	
36 T5/25	25	2	39,00	46	30	26	6	36	
36 T5/26	26	2	40,60	46	30	26	6	36	
36 T5/27	27	2	42,20	46	30	30	6	36	
36 T5/28	28	2	43,75	50	30	32	6	36	
36 T5/30	30	2	46,95	50	30	34	6	36	
36 T5/32	32	2	50,10	55	30	38	6	36	
36 T5/36	36	2	56,45	62	30	38	6	36	
36 T5/40	40	2	62,85	67	30	40	6	36	
36 T5/42	42	2	66,00	73	30	40	6	36	
36 T5/44	44	3	69,20	-	30	45	6	36	
36 T5/48	48	3	75,55	-	30	50	6	36	
36 T5/60	60	3	94,65	-	30	65	6	36	


**Podziałka T10 pod pasek szerokości 16 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
31 T10/12	12	2	36,35	40	21	28	10	31	ALUMINIUM
31 T10/14	14	2	42,70	46	21	32	10	31	
31 T10/15	15	2	45,90	50	21	32	10	31	
31 T10/16	16	2	49,05	55	21	35	10	31	
31 T10/18	18	2	55,45	62	21	40	10	31	
31 T10/19	19	2	58,60	67	21	44	10	31	
31 T10/20	20	2	61,80	67	21	46	10	31	
31 T10/22	22	2	68,15	73	21	52	10	31	
31 T10/24	24	2	74,55	80	21	58	10	31	
31 T10/25	25	2	77,70	84	21	60	10	31	
31 T10/26	26	2	80,90	88	21	60	10	31	
31 T10/27	27	2	84,10	88	21	60	10	31	
31 T10/28	28	2	87,25	94	21	60	10	31	
31 T10/30	30	2	93,65	98	21	60	10	31	
31 T10/32	32	2	100,00	108	21	65	10	31	
31 T10/36	36	2	112,75	118	21	70	10	31	
31 T10/40	40	2	125,45	129	21	80	10	31	
31 T10/44	44	3	138,20	-	21	88	10	31	
31 T10/48	48	3	150,95	-	21	95	10	31	
31 T10/60	60	3	189,10	-	21	110	10	31	



**Podziałka T10 pod pasek szerokości 25 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
40 T10/12	12	2	36,35	40	30	28	10	40	ALUMINIUM
40 T10/14	14	2	42,70	46	30	32	10	40	
40 T10/15	15	2	45,90	50	30	32	10	40	
40 T10/16	16	2	49,05	55	30	35	10	40	
40 T10/18	18	2	55,45	62	30	40	10	40	
40 T10/19	19	2	58,60	67	30	44	10	40	
40 T10/20	20	2	61,80	67	30	46	10	40	
40 T10/22	22	2	68,15	73	30	52	10	40	
40 T10/24	24	2	74,55	80	30	58	10	40	
40 T10/25	25	2	77,70	84	30	60	10	40	
40 T10/26	26	2	80,90	88	30	60	10	40	
40 T10/27	27	2	84,10	88	30	60	10	40	
40 T10/28	28	2	87,25	94	30	60	10	40	
40 T10/30	30	2	93,65	98	30	60	10	40	
40 T10/32	32	2	100,00	108	30	65	10	40	
40 T10/36	36	2	112,75	118	30	70	10	40	
40 T10/40	40	2	125,45	129	30	80	10	40	
40 T10/44	44	3	138,20	-	30	88	10	40	
40 T10/48	48	3	150,95	-	30	95	10	40	
40 T10/60	60	3	189,10	-	30	110	10	40	




**Podziałka T10 pod pasek szerokości 32 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
47 T10/18	18	2	55,45	62	37	40	10	47	ALUMINIUM
47 T10/19	19	2	58,60	67	37	44	10	47	
47 T10/20	20	2	61,80	67	37	46	10	47	
47 T10/22	22	2	68,15	73	37	52	10	47	
47 T10/24	24	2	74,55	80	37	58	10	47	
47 T10/25	25	2	77,70	84	37	60	10	47	
47 T10/26	26	2	80,90	88	37	60	10	47	
47 T10/27	27	2	84,10	88	37	60	10	47	
47 T10/28	28	2	87,25	94	37	60	10	47	
47 T10/30	30	2	93,65	98	37	60	10	47	
47 T10/32	32	2	100,00	108	37	65	10	47	
47 T10/36	36	2	112,75	118	37	70	10	47	
47 T10/40	40	2	125,45	129	37	80	10	47	
47 T10/44	44	3	138,20	-	37	88	10	47	
47 T10/48	48	3	150,95	-	37	95	10	47	
47 T10/60	60	3	189,10	-	37	110	10	47	



**Podziałka T10 pod pasek szerokości 50 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
66 T10/18	18	2	55,45	62	56	40	10	66	ALUMINIUM
66 T10/19	19	2	58,60	67	56	44	10	66	
66 T10/20	20	2	61,80	67	56	46	10	66	
66 T10/22	22	2	68,15	73	56	52	10	66	
66 T10/24	24	2	74,55	80	56	58	10	66	
66 T10/25	25	2	77,70	84	56	60	10	66	
66 T10/26	26	2	80,90	88	56	60	10	66	
66 T10/27	27	2	84,10	88	56	60	10	66	
66 T10/28	28	2	87,25	94	56	60	10	66	
66 T10/30	30	2	93,65	98	56	60	10	66	
66 T10/32	32	2	100,00	108	56	65	10	66	
66 T10/36	36	2	112,75	118	56	70	10	66	
66 T10/40	40	2	125,45	129	56	80	10	66	
66 T10/44	44	3	138,20	-	56	88	10	66	
66 T10/48	48	3	150,95	-	56	95	10	66	
66 T10/60	60	3	189,10	-	56	110	10	66	




**Standardowe wałki zębate**

Kod	Ilość zębów	Dp mm	L mm	Kod	Ilość zębów	Dp mm	L mm	Materiał
T5	10	15,91	140	T10	10	31,83	140	ALUMINIUM
T5	11	17,50	140	T10	11	35,01	140	
T5	12	19,10	140	T10	12	38,19	140	
T5	13	20,63	140	T10	13	41,38	140	
T5	14	22,28	140	T10	14	44,56	160	
T5	15	23,87	140	T10	15	47,74	160	
T5	16	25,47	140	T10	16	50,93	160	
T5	17	27,06	140	T10	17	54,11	160	
T5	18	28,65	140	T10	18	57,29	160	
T5	19	30,24	140	T10	19	60,47	160	
T5	20	31,83	160	T10	20	63,66	160	
T5	21	33,42	160	T10	21	66,84	160	
T5	22	35,01	160	T10	22	70,02	160	
T5	23	36,61	160	T10	23	73,21	160	
T5	24	38,19	160	T10	24	76,39	160	
T5	25	39,79	160	T10	26	82,76	160	
T5	26	41,38	160	T10	28	89,12	160	
T5	27	42,97	160	T10	30	95,49	160	
T5	28	44,56	160	T10	32	101,85	160	
T5	29	46,16	160	T10	34	108,22	160	
T5	30	47,75	160	T10	36	114,59	160	
T5	32	50,93	160	T10	38	120,95	160	
T5	34	54,11	160	T10	40	127,32	160	
T5	35	55,71	160	T10	45	143,23	160	
T5	36	57,30	160	T10	48	152,78	160	
T5	37	58,89	160	T10	60	190,98	160	
T5	38	60,48	160	T10	72	229,17	160	
T5	40	63,66	160					
T5	42	66,85	160					
T5	44	70,03	160					
T5	45	71,62	160					
T5	46	73,21	160					
T5	48	76,39	160					
T5	50	79,58	160					
T5	60	95,49	160					
T5	72	114,59	160					
T5	80	127,32	160					
T5	90	143,24	160					
T5	100	159,15	160					




**Podziałka AT5 pod pasek szerokości 10 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
21 AT5/12	12	2	17,85	23	15	10	6	21	ALUMINIUM
21 AT5/14	14	2	21,05	24	15	14	6	21	
21 AT5/15	15	2	22,65	27	15	16	6	21	
21 AT5/16	16	2	24,20	30	15	18	6	21	
21 AT5/18	18	2	27,40	30	15	20	6	21	
21 AT5/19	19	2	29,00	33	15	22	6	21	
21 AT5/20	20	2	30,60	33	15	23	6	21	
21 AT5/22	22	2	34,85	36	15	24	6	21	
21 AT5/24	24	2	37,00	40	15	26	6	21	
21 AT5/25	25	2	38,60	46	15	26	6	21	
21 AT5/26	26	2	40,20	46	15	26	6	21	
21 AT5/27	27	2	41,80	46	15	30	6	21	
21 AT5/28	28	2	43,35	50	15	32	6	21	
21 AT5/30	30	2	46,55	50	15	34	6	21	
21 AT5/32	32	2	49,70	55	15	38	6	21	
21 AT5/36	36	2	56,05	62	15	38	6	21	
21 AT5/40	40	2	62,45	67	15	40	6	21	
21 AT5/42	42	2	65,60	73	15	40	6	21	
21 AT5/44	44	3	68,80	-	15	45	6	21	
21 AT5/48	48	3	75,15	-	15	50	6	21	
21 AT5/60	60	3	94,25	-	15	65	6	21	



**Podziałka AT5 pod pasek szerokości 16 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
27 AT5/12	12	2	17,85	23	21	10	6	27	ALUMINIUM
27 AT5/14	14	2	21,05	24	21	14	6	27	
27 AT5/15	15	2	22,65	27	21	16	6	27	
27 AT5/16	16	2	24,20	30	21	18	6	27	
27 AT5/18	18	2	27,40	30	21	20	6	27	
27 AT5/19	19	2	29,00	33	21	22	6	27	
27 AT5/20	20	2	30,60	33	21	23	6	27	
27 AT5/22	22	2	34,85	36	21	24	6	27	
27 AT5/24	24	2	37,00	40	21	26	6	27	
27 AT5/25	25	2	38,60	46	21	26	6	27	
27 AT5/26	26	2	40,20	46	21	26	6	27	
27 AT5/27	27	2	41,80	46	21	30	6	27	
27 AT5/28	28	2	43,35	50	21	32	6	27	
27 AT5/30	30	2	46,55	50	21	34	6	27	
27 AT5/32	32	2	49,70	55	21	38	6	27	
27 AT5/36	36	2	56,05	62	21	38	6	27	
27 AT5/40	40	2	62,45	67	21	40	6	27	
27 AT5/42	42	2	65,60	73	21	40	6	27	
27 AT5/44	44	3	68,80	-	21	45	6	27	
27 AT5/48	48	3	75,15	-	21	50	6	27	
27 AT5/60	60	3	94,25	-	21	65	6	27	




**Podziałka AT5 pod pasek szerokości 25 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
36 AT5/12	12	2	17,85	23	30	10	6	36	ALUMINIUM
36 AT5/14	14	2	21,05	24	30	14	6	36	
36 AT5/15	15	2	22,65	27	30	16	6	36	
36 AT5/16	16	2	24,20	30	30	18	6	36	
36 AT5/18	18	2	27,40	30	30	20	6	36	
36 AT5/19	19	2	29,00	33	30	22	6	36	
36 AT5/20	20	2	30,60	33	30	23	6	36	
36 AT5/22	22	2	34,85	36	30	24	6	36	
36 AT5/24	24	2	37,00	40	30	26	6	36	
36 AT5/25	25	2	38,60	46	30	26	6	36	
36 AT5/26	26	2	40,20	46	30	26	6	36	
36 AT5/27	27	2	41,80	46	30	30	6	36	
36 AT5/28	28	2	43,35	50	30	32	6	36	
36 AT5/30	30	2	46,55	50	30	34	6	36	
36 AT5/32	32	2	49,70	55	30	38	6	36	
36 AT5/36	36	2	56,05	62	30	38	6	36	
36 AT5/40	40	2	62,45	67	30	40	6	36	
36 AT5/42	42	2	65,60	73	30	40	6	36	
36 AT5/44	44	3	68,80	-	30	45	6	36	
36 AT5/48	48	3	75,15	-	30	50	6	36	
36 AT5/60	60	3	94,25	-	30	65	6	36	


**Podziałka AT10 pod pasek szerokości 16 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
31 AT10/15	15	2	45,90	50	21	32	10	31	ALUMINIUM
31 AT10/16	16	2	49,05	55	21	35	10	31	
31 AT10/18	18	2	55,45	62	21	40	10	31	
31 AT10/19	19	2	58,60	67	21	44	10	31	
31 AT10/20	20	2	61,80	67	21	46	10	31	
31 AT10/22	22	2	68,15	73	21	52	10	31	
31 AT10/24	24	2	74,55	80	21	58	10	31	
31 AT10/25	25	2	77,70	84	21	60	10	31	
31 AT10/26	26	2	80,90	88	21	60	10	31	
31 AT10/27	27	2	84,10	88	21	60	10	31	
31 AT10/28	28	2	87,25	94	21	60	10	31	
31 AT10/30	30	2	93,65	98	21	60	10	31	
31 AT10/32	32	2	100,00	108	21	65	10	31	
31 AT10/36	36	2	112,75	118	21	70	10	31	
31 AT10/40	40	2	125,45	129	21	80	10	31	
31 AT10/44	44	3	138,20	-	21	88	10	31	
31 AT10/48	48	3	150,95	-	21	95	10	31	
31 AT10/60	60	3	189,10	-	21	110	10	31	



**Podziałka AT10 pod pasek szerokości 25 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
40 AT10/15	15	2	45,90	50	30	32	10	40	ALUMINIUM
40 AT10/16	16	2	49,05	55	30	35	10	40	
40 AT10/18	18	2	55,45	62	30	40	10	40	
40 AT10/19	19	2	58,60	67	30	44	10	40	
40 AT10/20	20	2	61,80	67	30	46	10	40	
40 AT10/22	22	2	68,15	73	30	52	10	40	
40 AT10/24	24	2	74,55	80	30	58	10	40	
40 AT10/25	25	2	77,70	84	30	60	10	40	
40 AT10/26	26	2	80,90	88	30	60	10	40	
40 AT10/27	27	2	84,10	88	30	60	10	40	
40 AT10/28	28	2	87,25	94	30	60	10	40	
40 AT10/30	30	2	93,65	98	30	60	10	40	
40 AT10/32	32	2	100,00	108	30	65	10	40	
40 AT10/36	36	2	112,75	118	30	70	10	40	
40 AT10/40	40	2	125,45	129	30	80	10	40	
40 AT10/44	44	3	138,20	-	30	88	10	40	
40 AT10/48	48	3	150,95	-	30	95	10	40	
40 AT10/60	60	3	189,10	-	30	110	10	40	




**Podziałka AT10 pod pasek szerokości 32 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
47 AT10/18	18	2	55,45	62	37	40	10	47	ALUMINIUM
47 AT10/19	19	2	58,60	67	37	44	10	47	
47 AT10/20	20	2	61,80	67	37	46	10	47	
47 AT10/22	22	2	68,15	73	37	52	10	47	
47 AT10/24	24	2	74,55	80	37	58	10	47	
47 AT10/25	25	2	77,70	84	37	60	10	47	
47 AT10/26	26	2	80,90	88	37	60	10	47	
47 AT10/27	27	2	84,10	88	37	60	10	47	
47 AT10/28	28	2	87,25	94	37	60	10	47	
47 AT10/30	30	2	93,65	98	37	60	10	47	
47 AT10/32	32	2	100,00	108	37	65	10	47	
47 AT10/36	36	2	112,75	118	37	70	10	47	
47 AT10/40	40	2	125,45	129	37	80	10	47	
47 AT10/44	44	3	138,20	-	37	88	10	47	
47 AT10/48	48	3	150,95	-	37	95	10	47	
47 AT10/60	60	3	189,10	-	37	110	10	47	

**Podziałka AT10 pod pasek szerokości 50 mm**

Kod	Ilość zębów	typ	S mm Ø	e mm Ø	W mm	H mm Ø	Z mm	Y mm	Materiał
66 AT10/18	18	2	55,45	62	56	40	10	66	ALUMINIUM
66 AT10/19	19	2	58,60	67	56	44	10	66	
66 AT10/20	20	2	61,80	67	56	46	10	66	
66 AT10/22	22	2	68,15	73	56	52	10	66	
66 AT10/24	24	2	74,55	80	56	58	10	66	
66 AT10/25	25	2	77,70	84	56	60	10	66	
66 AT10/26	26	2	80,90	88	56	60	10	66	
66 AT10/27	27	2	84,10	88	56	60	10	66	
66 AT10/28	28	2	87,25	94	56	60	10	66	
66 AT10/30	30	2	93,65	98	56	60	10	66	
66 AT10/32	32	2	100,00	108	56	65	10	66	
66 AT10/36	36	2	112,75	118	56	70	10	66	
66 AT10/40	40	2	125,45	129	56	80	10	66	
66 AT10/44	44	3	138,20	-	56	88	10	66	
66 AT10/48	48	3	150,95	-	56	95	10	66	
66 AT10/60	60	3	189,10	-	56	110	10	66	



**Standardowe wałki zębate**

Kod	Ilość zębów	Dp mm	L mm	Kod	Ilość zębów	Dp mm	L mm	Materiał
AT5	12	19,10	140	-	-	-	-	ALUMINIUM
AT5	13	20,63	140	-	-	-	-	
AT5	14	22,28	140	AT10	14	44,56	160	
AT5	15	23,87	140	AT10	15	47,74	160	
AT5	16	25,47	140	AT10	16	50,93	160	
AT5	17	27,06	140	AT10	17	54,11	160	
AT5	18	28,65	140	AT10	18	57,29	160	
AT5	19	30,24	140	AT10	19	60,47	160	
AT5	20	31,83	160	AT10	20	63,66	160	
AT5	21	33,42	160	AT10	21	66,84	160	
AT5	22	35,01	160	AT10	22	70,02	160	
AT5	23	36,61	160	AT10	23	73,21	160	
AT5	24	38,19	160	AT10	24	76,39	160	
AT5	25	39,79	160	AT10	26	82,76	160	
AT5	26	41,38	160	AT10	28	89,12	160	
AT5	27	42,97	160	AT10	30	95,49	160	
AT5	28	44,56	160	AT10	32	101,85	160	
AT5	29	46,16	160	AT10	34	108,22	160	
AT5	30	47,75	160	AT10	36	114,59	160	
AT5	32	50,93	160	AT10	38	120,95	160	
AT5	34	54,11	160	AT10	40	127,32	160	
AT5	35	55,71	160	AT10	45	143,23	160	
AT5	36	57,30	160	AT10	48	152,78	160	
AT5	37	58,89	160	AT10	60	190,98	160	
AT5	38	60,48	160	AT10	72	229,17	160	
AT5	40	63,66	160					
AT5	42	66,85	160					
AT5	44	70,03	160					
AT5	45	71,62	160					
AT5	46	73,21	160					
AT5	48	76,39	160					
AT5	50	79,58	160					
AT5	60	95,49	160					
AT5	72	114,59	160					

